

## 兔抗 GDF10 多克隆抗体

中文名称：兔抗 GDF10 多克隆抗体

英文名称： Anti-GDF10 rabbit polyclonal antibody

别名： BMP3B; BMP-3b

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： GDF10

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta) superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer. This promotes neural repair after stroke. Additionally, this protein may act as a tumor suppressor and reduced expression of this gene is associated with oral cancer. |
| <b>Applications:</b>     | ELISA, IHC  |
| <b>Name of antibody:</b> | GDF10   |
| <b>Immunogen:</b>        | Synthetic peptide of human GDF10  |
| <b>Full name:</b>        | growth differentiation factor 10  |

|                                    |                                      |
|------------------------------------|--------------------------------------|
| <b>Synonyms:</b>                   | BIP; BMP3B; BMP-3b                   |
| <b>SwissProt:</b>                  | P55107                               |
| <b>ELISA Recommended dilution:</b> | 5000-10000                           |
| <b>IHC positive control:</b>       | Human tonsil and Human breast cancer |
| <b>IHC Recommend dilution:</b>     | 25-50                                |



