

## 兔抗 DYNC1LI2 多克隆抗体

中文名称: 兔抗 DYNC1LI2 多克隆抗体

英文名称: Anti-DYNC1LI2 rabbit polyclonal antibody

别 名: LIC2; DNCLI2

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: DYNC1LI2

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate


克隆类型: rabbit polyclonal

## 技术规格

Background:	Acts as one of several non-catalytic accessory components of the cytoplasmic dynein 1 complex that are thought to be involved in linking dynein to cargos and to adapter proteins that regulate dynein function. Cytoplasmic dynein 1 acts as a motor for the intracellular retrograde motility of vesicles and organelles along microtubules. May play a role in binding dynein to membranous organelles or chromosomes.
Applications:	ELISA, WB, IHC
Name of antibody:	DYNC1LI2
Immunogen:	Synthetic peptide of human DYNC1LI2
Full name:	dynein cytoplasmic 1 light intermediate chain 2



Synonyms:	LIC2; DNCLI2
SwissProt:	O43237
<b>ELISA Recommended dilution:</b>	5000-10000
IHC positive control:	Human thyroid cancer and Human prostate cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	54 kDa
WB Positive control:	Human fetal brain tissue and Mouse brain tissue, PC-3 cell lysates
WB Recommended dilution:	200-1000



TW-reagent.com

