

兔抗 HEXB 多克隆抗体

中文名称：兔抗 HEXB 多克隆抗体

英文名称：hexosaminidase subunit beta; ENC-1AS; HEL-248; HEL-S-111

别 名：ENC-1AS; HEL-248

相关类别：一抗

抗 原：HEXB

储 存：冷冻 (-20°C) 避光

宿 主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	Hexosaminidase B is the beta subunit of the lysosomal enzyme beta-hexosaminidase that, together with the cofactor GM2 activator protein, catalyzes the degradation of the ganglioside GM2, and other molecules containing terminal N-acetyl hexosamines. Beta-hexosaminidase is composed of two subunits, alpha and beta, which are encoded by separate genes. Both beta-hexosaminidase alpha and beta subunits are members of family 20 of glycosyl hydrolases.
Applications:	WB, IHC
Name of antibody:	HEXB
Immunogen:	Synthesized peptide derived from C-terminal of human HEXB.
Full name:	hexosaminidase B (beta polypeptide)
Synonyms :	ENC-1AS; HEL-248
SwissProt:	P07686

IHC positive control :	Human colon carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	63 kDa
WB Positive control :	Jurkat cells lysate
WB Recommended dilution:	500-3000



