

兔抗 STON1 多克隆抗体

中文名称: 兔抗 STON1 多克隆抗体

英文名称: Anti-STON1 rabbit polyclonal antibody

别 名: SALF; SBLF; STN1; STNB1

抗原: STON1

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

反应种属: Human

相关类别: 一抗

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:

Endocytosis of cell surface proteins is mediated by a compl ex molecular machinery that assembles on the inner surface of the plasma membrane. This gene encodes one of two hu man homologs of the Drosophila melanogaster stoned B pr otein. This protein is related to components of the endocyti c machinery and exhibits a modular structure consisting of an N-terminal proline-rich domain, a central region of hom ology specific to the human stoned B-like proteins, and a C -terminal region homologous to the mu subunits of adaptor protein (AP) complexes. Read-through transcription of this g ene into the neighboring downstream gene, which encodes



	TFIIA-alpha/beta-like factor, generates a transcript (SALF), w hich encodes a fusion protein comprised of sequence sharin g identity with each individual gene product. Alternative spli cing results in multiple transcript variants.
Applications:	WB
Name of antibody:	STON1
Immunogen:	Synthesized peptide derived from C-terminal of human STO N1.
Full name:	stonin 1
Synonyms:	SALF; SBLF; STN1; STNB1
SwissProt:	Q9Y6Q2
WB Predicted band size:	83 kDa
WB Positive control:	K562 cells lysate
WB Recommended dilution:	500-3000

